EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	(switch near relay near (device system apparatus)).ti.	US-PGPUB; USPAT	OR	OFF	2006/05/24 17:32
S2	1	S1 and ((physical link network application) near3 layer$1)	US-PGPUB; USPAT	OR	OFF	2006/05/24 17:32
S3	247	(switch near relay near (device system apparatus))	US-PGPUB; USPAT	OR	OFF	2006/05/25 16:55
S4	9	S3 and ((physical link network application) near3 layer$1)	US-PGPUB; USPAT	OR	OFF	2006/05/25 08:22
S5	4	("5469493" | "5490141" | "5524010" | "5537404").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:08
S6	472	(switch$2 rout$3) near3 (send$4 forward$4) near3 ((device computer host terminal) near2 (data information configuration))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:14
S7	1	S6 and (application near layer near2 circuit)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:11
S8	4	S6 and (application near2 layer near4 circuit)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:16
S9	24	S6 and (application near layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:30
S10	8	S9 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:30
S11	30	S6 and (application near2 layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:33
S12	10	S11 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:15
S13	28812	(send$4 forward$4) near2 (data information configuration) near3 (device host terminal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:32
S14	6182	(send$4 forward$4) near (data information configuration) near (device host terminal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:32
S15	194	(send$4 forward$4) near (data information configuration) near (device host terminal) with (switch router)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:45

EAST Search History

S16	27	S15 and (application near2 layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:39
S17	10	S16 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:40
S18	91	S15 and (application and physical and link)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:49
S19	39	S18 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:49
S20	0	((send$4 forward$4) near (data information configuration) near (device host terminal) with (switch router)).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:45
S21	12	((send$4 forward$4) near (data information configuration) near (device host terminal) with (switch router)).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:49
S22	8	S21 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:56
S23	194	((send$4 forward$4) near (data information configuration) near (device host terminal) with (switch router))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:49
S24	83	S23 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:49
S25	39	S24 and (application and physical and link)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:59
S26	74	S24 and (application physical link)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:50
S27	29	S26 and delay	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:50
S28	5	(switch near relay near (device system apparatus)) and ((send$4 forward$4) near2 (data information packet) near3 (device host terminal))	US-PGPUB; USPAT	OR	OFF	2006/05/25 16:58
S29	2	S28 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:59

S30	1294	(switch near (device system apparatus)) and ((send$4 forward$4) near2 (data information packet) near3 (device host terminal))	US-PGPUB; USPAT	OR	OFF	2006/05/25 16:58
S31	123	(switch near (device apparatus)) same ((send$4 forward$4) near2 (data information packet) near3 (device host terminal))	US-PGPUB; USPAT	OR	OFF	2006/05/25 16:58
S32	217	((switch router) near (device apparatus)) same ((send$4 forward$4) near2 (data information packet) near3 (device host terminal))	US-PGPUB; USPAT	OR	OFF	2006/05/25 16:58
S33	94	S32 and (application and physical and link)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:59
S34	31	S33 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:59
S35	7	(switch near relay near (device system apparatus)).ti.	US-PGPUB; USPAT	OR	OFF	2006/05/25 17:04
S36	1548	(switch router) with (switch$4 rout$4 send$4 forward$4) with (data information configuration) with ((device computer host terminal remote)) and (application near1 layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:40
S37	514	S36 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:41
S38	123	(switch router) near3 (switch$4 rout$4 send$4 forward$4) near3 (data information configuration) near3 ((device computer host terminal remote)) and (application near1 layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:18
S39	47	S38 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:19
S40	59	(switch router) near3 (switch$4 rout$4 send$4 forward$4) near3 (data information configuration) near3 ((host remote center controller)) and (application near1 layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:18
S41	14	S40 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:19

EAST Search History

S42	0	S37 and (application and physical and link and bus and ((monitor$4 track$4 updat$4 unavailable) near2 space$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:26
S43	3	S37 and ((monitor$4 track$4 updat$4 unavailable) near2 space$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:29
S44	0	S37 and ((monitor$4 track$4 updat$4 unavailable) near5 space$1 with (host device terminal computer remote))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:36
S45	4	S37 and ((monitor$4 track$4 updat$4 unavailable) with space$1 same (host device terminal computer remote))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:31
S46	27	S37 and ((monitor$4 track$4 updat$4 unavailable) with space$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:35
S47	24	S37 and ((unavailable empty over exceed$4) with space$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:35
S48	4	S37 and ((unavailable empty over exceed$4) with space$1 same (host device terminal computer remote))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:40
S49	14	S37 and ((unavailable empty over exceed$4) near3 space$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:38
S50	114622	(unavailable empty over exceed$4) with space$1 same (host device terminal computer remote)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:40
S51	5315	(unavailable empty over exceed$4) near2 space$1 with (host device terminal computer remote)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:40
S52	98	S51 and ((switch router) with (switch$4 rout$4 send$4 forward$4) with (data information configuration) with ((device computer host terminal remote)))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:41
S53	39	S52 and @ad<"20001227"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 10:41
S74	935	(YOSHIDA adj YUJI).in.	US-PGPUB; USPAT; JPO	OR	OFF	2006/05/30 17:00
S75	86	(YOSHIDA adj YUJI).in.	US-PGPUB; USPAT	OR	OFF	2006/05/30 17:00
S76	10	S75 and switch	US-PGPUB; USPAT	OR	OFF	2006/05/30 17:00